

# MEDR X

791 Highway 77 North, Suite 501C-316 Waxahachie, TX 75165  
Ph 972-825-7231 Fax 214-230-5816

---

## Notice of Independent Review Decision

**DATE OF REVIEW:** 10/29/09

**IRO CASE #:**

**DESCRIPTION OF THE SERVICE OR SERVICES IN DISPUTE**

The service under review is a work hardening program for an additional 10 days. (CPT code 97545 and 97546)

**A DESCRIPTION OF THE QUALIFICATIONS FOR EACH PHYSICIAN OR OTHER HEALTH CARE PROVIDER WHO REVIEWED THE DECISION**

The reviewer is a Doctor of Chiropractic. This doctor has greater than 15 years of experience in this area.

**REVIEW OUTCOME**

Upon independent review the reviewer finds that the previous adverse determination/adverse determinations should be:

- Upheld (Agree)
- Overturned (Disagree)
- Partially Overturned (Agree in part/Disagree in part)

The reviewer agrees with the previous adverse determination regarding all services under review.

**INFORMATION PROVIDED TO THE IRO FOR REVIEW**

Records were received and reviewed from the following parties: , Rehab and the patient.

These records consist of the following (duplicate records are only listed from one source):  
Records reviewed : 10/16/09 letter by , one page listing of doctors, 9/24/09 denial letter, 10/5/09 denial letter, work hardening notes from 8/17/09 to 8/21/09, 8/17/09 to 8/21/09 notes from Care Clinic, 8/18/09 WH weekly behavioral health report, 9/14/09 functional testing

report, 9/17/09 report by , MD, job duties description/report and 5 pages of the ODG regarding the low back and work hardening/conditioning.

Rehab: 9/21/09 preauth request, DWC 74 of 10/6/09, 9/23/09 report by , MD, functional testing progress report of 9/16/09, functional test report of 5/15/09, two prescriptions from Dr. dated 4/28/09, Behavioral Assessment 6/3/09, Behavioral testing script by Dr. , 4/23/09 neurodiagnostic testing report, 4/20/09 individual psychotherapy report, 3/31/09 psychiatric referrals form, 4/14/09 reports by , MD, handwritten notes by , DO 1/12/09 to 3/30/09, 3/2/09 cervical, sacral and lumbar MRI reports, 2/03/09 clinical observation report by unknown party, 2/10/09 referral to MD for rx assessment form, personal prescription information regarding cyclobenzaprine and tramadol, 1/19/09 report of medical consult by Dr. 11/17/08 initial evaluation by Dr. and various outcome assessment forms of 1/8/09 (Back Index, NDI, Quebec, Quadruple VAS and Activities Discomfort Scale).

Patient: Various DWC 73 forms, DD report by Dr. 6/4/09, 8/12/09 IRO decision, LHL 009, 7/1/09 letter , 6/11/09 and 6/24/09 preauth requests, 6/16/09 denial letter and 6/4/09 assessment by LMSW.

We did receive a partial copy of the ODG Guidelines from Carrier/URA.

#### **PATIENT CLINICAL HISTORY [SUMMARY]:**

This patient was injured in a work related injury in xx/xx. The records indicate he was injured while lifting . Various reports put the weight of the can at between 100 and 200 lbs. The patient noted cervical and lumbar pain at that time. He has been treated conservatively. MRI of the cervical, lumbar and sacral spine has been performed with the following findings. Cervical: disc desiccation is noted throughout with ALL inflammatory response as well as bulging at C5/6 and C6/7. Lumbar: Desiccation of the lower lumbar spine with broad based bulging at L3 to S1 with facet arthrosis throughout the L-spine. Sacral: NAD. He has completed 10 sessions of work hardening at this time and a request for 10 additional sessions is under dispute.

The documentation regarding the WH program is sparse. The only notes that are provided indicate 5 treatment dates from 8/17/09 to 8/21/09. His pain scale rose from a 4 to a 5 during this time period according to the check box notes; however, the doctor's notes indicate his pain scale is between a 6 and a 2-3 depending on the date. The notes are not terribly descriptive in terms of the patient's response to the treatments. Although they do note that he increased in both number of repetitions and sets performed within this week. The work simulation boxes were not checked at any point.

The documentation regarding his job demands do not indicate a specific PDL. The carrier indicates he is to return at a medium to medium heavy level. However, he was injured while reportedly picking up 150 pounds of trash. This would be outside of either of these ranges. The DWC 74 does indicate a medium PDL as it notes he should lift approximately 25 pounds of trash with 2 hours of walking, grasping/squeezing, pushing pulling and frequent vacuuming and sweeping.

## **ANALYSIS AND EXPLANATION OF THE DECISION INCLUDE CLINICAL BASIS, FINDINGS AND CONCLUSIONS USED TO SUPPORT THE DECISION.**

The following are the criteria for admission to a Work Hardening Program:

- (1) *Prescription*: The program has been recommended by a physician or nurse case manager, and a prescription has been provided. (criterion met)
- (2) *Screening Documentation*: Approval of the program should include evidence of a screening evaluation. This multidisciplinary examination should include the following components: (a) History including demographic information, date and description of injury, history of previous injury, diagnosis/diagnoses, work status before the injury, work status after the injury, history of treatment for the injury (including medications), history of previous injury, current employability, future employability, and time off work; (b) Review of systems including other non work-related medical conditions; (c) Documentation of musculoskeletal, cardiovascular, vocational, motivational, behavioral, and cognitive status by a physician, chiropractor, or physical and/or occupational therapist (and/or assistants); (d) Diagnostic interview with a mental health provider; (e) Determination of safety issues and accommodation at the place of work injury. Screening should include adequate testing to determine if the patient has attitudinal and/or behavioral issues that are appropriately addressed in a multidisciplinary work hardening program. The testing should also be intensive enough to provide evidence that there are no psychosocial or significant pain behaviors that should be addressed in other types of programs, or will likely prevent successful participation and return-to-employment after completion of a work hardening program. Development of the patient's program should reflect this assessment. (criterion met)
- (3) *Job demands*: A work-related musculoskeletal deficit has been identified with the addition of evidence of physical, functional, behavioral, and/or vocational deficits that preclude ability to safely achieve current job demands. These job demands are generally reported in the medium or higher demand level (i.e., not clerical/sedentary work). There should generally be evidence of a valid mismatch between documented, specific essential job tasks and the patient's ability to perform these required tasks (as limited by the work injury and associated deficits). (criterion met as it appears that the employer is under rating the amount of weight lifted by the patient)
- (4) *Functional capacity evaluations (FCEs)*: A valid FCE should be performed, administered and interpreted by a licensed medical professional. The results should indicate consistency with maximal effort, and demonstrate capacities below an employer verified physical demands analysis (PDA). Inconsistencies and/or indication that the patient has performed below maximal effort should be addressed prior to treatment in these programs. (The latest FCE in September of 2009 indicates that he has improved in his demands since May of 2009; criterion met)
- (5) *Previous PT*: There is evidence of treatment with an adequate trial of active physical rehabilitation with improvement followed by plateau, with evidence of no likely benefit from continuation of this previous treatment. Passive physical medicine modalities are not indicated for use in any of these approaches. (The notes indicate PT has been performed but no records show the direct results of this therapy; criterion met)
- (6) *Rule out surgery*: The patient is not a candidate for whom surgery, injections, or other treatments would clearly be warranted to improve function (including further diagnostic evaluation in anticipation of surgery). (criterion met)

- (7) *Healing*: Physical and medical recovery sufficient to allow for progressive reactivation and participation for a minimum of 4 hours a day for three to five days a week. (criterion met)
- (8) *Other contraindications*: There is no evidence of other medical, behavioral, or other comorbid conditions (including those that are non work-related) that prohibits participation in the program or contradicts successful return-to-work upon program completion. (criterion met)
- (9) *RTW plan*: A specific defined return-to-work goal or job plan has been established, communicated and documented. The ideal situation is that there is a plan agreed to by the employer and employee. The work goal to which the employee should return must have demands that exceed the claimant's current validated abilities. (criterion met)
- (10) *Drug problems*: There should be documentation that the claimant's medication regimen will not prohibit them from returning to work (either at their previous job or new employment). If this is the case, other treatment options may be required, for example a program focused on detoxification. (criterion met)
- (11) *Program documentation*: The assessment and resultant treatment should be documented and be available to the employer, insurer, and other providers. There should be documentation of the proposed benefit from the program (including functional, vocational, and psychological improvements) and the plans to undertake this improvement. The assessment should indicate that the program providers are familiar with the expectations of the planned job, including skills necessary. Evidence of this may include site visitation, videotapes or functional job descriptions. (criterion met)
- (12) *Further mental health evaluation*: Based on the initial screening, further evaluation by a mental health professional may be recommended. The results of this evaluation may suggest that treatment options other than these approaches may be required, and all screening evaluation information should be documented prior to further treatment planning. (criterion met)
- (13) *Supervision*: Supervision is recommended under a physician, chiropractor, occupational therapist, or physical therapist with the appropriate education, training and experience. This clinician should provide on-site supervision of daily activities, and participate in the initial and final evaluations. They should design the treatment plan and be in charge of changes required. They are also in charge of direction of the staff. (criterion met)
- (14) *Trial*: Treatment is not supported for longer than 1-2 weeks without evidence of patient compliance and demonstrated significant gains as documented by subjective and objective improvement in functional abilities. Outcomes should be presented that reflect the goals proposed upon entry, including those specifically addressing deficits identified in the screening procedure. A summary of the patient's physical and functional activities performed in the program should be included as an assessment of progress. **(criterion NOT met)**
- (15) *Concurrently working*: The patient who has been released to work with specific restrictions may participate in the program while concurrently working in a restricted capacity, but the total number of daily hours should not exceed 8 per day while in treatment. (criterion not applicable)
- (16) *Conferences*: There should be evidence of routine staff conferencing regarding progress and plans for discharge. Daily treatment activity and response should be documented. **(criterion NOT documented)**
- (17) *Voc rehab*: Vocational consultation should be available if this is indicated as a significant barrier. This would be required if the patient has no job to return to.

(18) *Post-injury cap*: The worker must be no more than 2 years past date of injury. Workers that have not returned to work by two-years post injury generally do not improve from intensive work hardening programs. If the worker is greater than one-year post injury a comprehensive multidisciplinary program may be warranted if there is clinical suggestion of psychological barrier to recovery (but these more complex programs may also be justified as early as 8-12 weeks, see Chronic pain programs). (criterion met)

(19) *Program timelines*: These approaches are highly variable in intensity, frequency and duration. APTA, AOTA and utilization guidelines for individual jurisdictions may be inconsistent. In general, the recommendations for use of such programs will fall within the following ranges: These approaches are necessarily intensive with highly variable treatment days ranging from 4-8 hours with treatment ranging from 3-5 visits per week. The entirety of this treatment should not exceed 20 full-day visits over 4 weeks, or no more than 160 hours (allowing for part-day sessions if required by part-time work, etc., over a longer number of weeks). A reassessment after 1-2 weeks should be made to determine whether completion of the chosen approach is appropriate, or whether treatment of greater intensity is required. (criterion met)

(20) *Discharge documentation*: At the time of discharge the referral source and other predetermined entities should be notified. This may include the employer and the insurer. There should be evidence documented of the clinical and functional status, recommendations for return to work, and recommendations for follow-up services. Patient attendance and progress should be documented including the reason(s) for termination including successful program completion or failure. This would include noncompliance, declining further services, or limited potential to benefit. There should also be documentation if the patient is unable to participate due to underlying medical conditions including substance dependence. (criterion references the future)

(21) *Repetition*: Upon completion of a rehabilitation program (e.g., work conditioning, work hardening, outpatient medical rehabilitation, or chronic pain/functional restoration program) neither re-enrollment in nor repetition of the same or similar rehabilitation program is medically warranted for the same condition or injury. (criterion met)

The reviewer indicates that only 5 of the reported 10 visits have been documented. Based upon the lack of evidence of the program being efficacious, it cannot be approved at this time based upon criteria # 14 & 16. Due to these factors, the program is not approved based upon the records provided.

**A DESCRIPTION AND THE SOURCE OF THE SCREENING CRITERIA OR OTHER CLINICAL BASIS USED TO MAKE THE DECISION:**

- ACOEM- AMERICAN COLLEGE OF OCCUPATIONAL & ENVIRONMENTAL MEDICINE UM KNOWLEDGBASE**
- AHCPR- AGENCY FOR HEALTHCARE RESEARCH & QUALITY GUIDELINES**
- DWC- DIVISION OF WORKERS COMPENSATION POLICIES OR GUIDELINES**

- EUROPEAN GUIDELINES FOR MANAGEMENT OF CHRONIC LOW BACK PAIN
- INTERQUAL CRITERIA
- MEDICAL JUDGEMENT, CLINICAL EXPERIENCE AND EXPERTISE IN ACCORDANCE WITH ACCEPTED MEDICAL STANDARDS
- MERCY CENTER CONSENSUS CONFERENCE GUIDELINES
- MILLIMAN CARE GUIDELINES
- ODG- OFFICIAL DISABILITY GUIDELINES & TREATMENT GUIDELINES
- PRESSLEY REED, THE MEDICAL DISABILITY ADVISOR
- TEXAS GUIDELINES FOR CHIROPRACTIC QUALITY ASSURANCE & PRACTICE PARAMETERS
- TEXAS TACADA GUIDELINES
- TMF SCREENING CRITERIA MANUAL
- PEER REVIEWED NATIONALLY ACCEPTED MEDICAL LITERATURE (PROVIDE A DESCRIPTION)
- OTHER EVIDENCE BASED, SCIENTIFICALLY VALID, OUTCOME FOCUSED GUIDELINES (PROVIDE A DESCRIPTION)