

MRI

MedHealth Review, Inc.
661 E. Main Street
Suite 200-305
Midlothian, TX 76065
Ph 972-921-9094
Fax (972) 827-3707



Notice of Independent Review Decision

DATE NOTICE SENT TO ALL PARTIES: 9/25/13

IRO CASE #:

DESCRIPTION OF THE SERVICE OR SERVICES IN DISPUTE

The item in dispute is the prospective medical necessity of left shoulder arthroscopy with rotator cuff repair, left shoulder diagnostic w/ w/o synovial biopsy separate procedure and left arthroscopy decompression of subacromial place with partial acromioplasty.

A DESCRIPTION OF THE QUALIFICATIONS FOR EACH PHYSICIAN OR OTHER HEALTH CARE PROVIDER WHO REVIEWED THE DECISION

The reviewer is a Medical Doctor who is board certified in Orthopedic Surgery. The reviewer has been practicing for greater than 10 years.

REVIEW OUTCOME

Upon independent review the reviewer finds that the previous adverse determination/adverse determinations should be:

- Upheld (Agree)
- Overturned (Disagree)
- Partially Overturned (Agree in part/Disagree in part)

The reviewer disagrees with the previous adverse determination regarding the left shoulder arthroscopy with rotator cuff repair, left shoulder diagnostic w/ w/o synovial biopsy separate procedure and left arthroscopy decompression of subacromial place with partial acromioplasty.

INFORMATION PROVIDED TO THE IRO FOR REVIEW

.

PATIENT CLINICAL HISTORY [SUMMARY]:

The injury mechanism was the claimant's repetitive activities and falling, resulting in injury. Xx/xx/xx dated shoulder MRI revealed severe tendinopathy and a partial rotator cuff tear with AC arthrosis and labral tears. Positive impingement signs, acromial tenderness and slight shoulder weakness are noted on examination. AP

records discuss that the claimant has failed restricted activities, PT and medications, and has both daily and worsening pain. Denial letters discussed the lack of guideline-associated comprehensive 6 months of non-operative treatments.

ANALYSIS AND EXPLANATION OF THE DECISION INCLUDE CLINICAL BASIS, FINDINGS AND CONCLUSIONS USED TO SUPPORT THE DECISION.

There has been documentation of reasonable non-operative treatments (over nearly 6 months) having failed, as per intent of overall clinical ODG criteria. There is persistently painful pathology with positive exam and imaging findings. Therefore the request is now reasonable and medically necessary.

ODG Indications for Surgery–

Impingement Syndrome/Acromioplasty: Criteria for anterior acromioplasty with diagnosis of acromial impingement syndrome (80% of these patients will get better without surgery.) 1. Conservative Care: Recommend 3 to 6 months: Three months is adequate if treatment has been continuous, six months if treatment has been intermittent. Treatment must be directed toward gaining full ROM, which requires both stretching and strengthening to balance the musculature. PLUS 2. Subjective Clinical Findings: Pain with active arc motion 90 to 130 degrees. AND Pain at night. PLUS 3. Objective Clinical Findings: Weak or absent abduction; may also demonstrate atrophy. AND Tenderness over rotator cuff or anterior acromial area. AND Positive impingement sign and temporary relief of pain with anesthetic injection (diagnostic injection test). PLUS 4. Imaging Clinical Findings: Conventional x-rays, AP, and true lateral or axillary view. AND Gadolinium MRI, ultrasound, or arthrogram shows positive evidence of impingement.

ODG Indications for Surgery- Rotator cuff repair: Criteria for rotator cuff repair with diagnosis of full thickness rotator cuff tear AND Cervical pathology and frozen shoulder syndrome have been ruled out: 1. Subjective Clinical Findings: Shoulder pain and inability to elevate the arm; tenderness over the greater tuberosity is common in acute cases. PLUS 2. Objective Clinical Findings: Patient may have weakness with abduction testing. May also demonstrate

atrophy of shoulder musculature. Usually has full passive range of motion. PLUS
3. Imaging Clinical Findings: Conventional x-rays, AP, and true lateral or axillary views. AND Gadolinium MRI, ultrasound, or arthrogram shows positive evidence of deficit in rotator cuff. Criteria for rotator cuff repair OR anterior acromioplasty with diagnosis of partial thickness rotator cuff repair OR acromial impingement syndrome (80% of these patients will get better without surgery.)

1. Conservative Care: Recommend 3 to 6 months: Three months is adequate if treatment has been continuous, six months if treatment has been intermittent. Treatment must be directed toward gaining full ROM, which requires both stretching and strengthening to balance the musculature. PLUS

2. Subjective Clinical Findings: Pain with active arc motion 90 to 130 degrees. AND Pain at night (Tenderness over the greater tuberosity is common in acute cases.) PLUS

3. Objective Clinical Findings: Weak or absent abduction; may also demonstrate atrophy. AND Tenderness over rotator cuff or anterior acromial area. AND Positive impingement sign and temporary relief of pain with anesthetic injection (diagnostic injection test). PLUS 4. Imaging Clinical Findings: Conventional x-rays, AP, and true lateral or axillary view. AND Gadolinium MRI, ultrasound, or arthrogram shows positive evidence of deficit in rotator cuff. (Washington, 2002)

Diagnostic Arthroscopy: Recommended as indicated below. Criteria for diagnostic arthroscopy (shoulder arthroscopy for diagnostic purposes): Most orthopedic surgeons can generally determine the diagnosis through examination and imaging studies alone. Diagnostic arthroscopy should be limited to cases where imaging is inconclusive and acute pain or functional limitation continues despite conservative care. Shoulder arthroscopy should be performed in the outpatient setting. If a rotator cuff tear is shown to be present following a diagnostic arthroscopy, follow the guidelines for either a full or partial thickness rotator cuff tear.

A DESCRIPTION AND THE SOURCE OF THE SCREENING CRITERIA OR OTHER CLINICAL BASIS USED TO MAKE THE DECISION:

- ACOEM- AMERICAN COLLEGE OF OCCUPATIONAL & ENVIRONMENTAL MEDICINE UM KNOWLEDGEBASE
- AHCPR- AGENCY FOR HEALTHCARE RESEARCH & QUALITY GUIDELINES
- DWC- DIVISION OF WORKERS COMPENSATION POLICIES OR GUIDELINES
- EUROPEAN GUIDELINES FOR MANAGEMENT OF CHRONIC LOW BACK PAIN
- INTERQUAL CRITERIA
- MEDICAL JUDGEMENT, CLINICAL EXPERIENCE AND EXPERTISE IN ACCORDANCE WITH ACCEPTED MEDICAL STANDARDS
- MERCY CENTER CONSENSUS CONFERENCE GUIDELINES
- MILLIMAN CARE GUIDELINES
- ODG- OFFICIAL DISABILITY GUIDELINES & TREATMENT GUIDELINES
- PRESSLEY REED, THE MEDICAL DISABILITY ADVISOR
- TEXAS GUIDELINES FOR CHIROPRACTIC QUALITY ASSURANCE & PRACTICE PARAMETERS
- TEXAS TACADA GUIDELINES
- TMF SCREENING CRITERIA MANUAL
- PEER REVIEWED NATIONALLY ACCEPTED MEDICAL LITERATURE (PROVIDE A DESCRIPTION)
- OTHER EVIDENCE BASED, SCIENTIFICALLY VALID, OUTCOME FOCUSED GUIDELINES (PROVIDE A DESCRIPTION)