

Traumatic Brain Injury References

The list below contains some examples of TBI evidence based medicine articles

General:

American Psychological Association Specialty Guidelines for Forensic Psychology <https://www.apa.org/practice/guidelines/forensic-psychology>. Last accessed 12/02/2019.

American Psychiatric Association (APA). The Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, DSM-5, 2013.

Management of Concussion/mTBI Working Group. VA/DoD **Clinical Practice Guideline for Management of Concussion/Mild Traumatic Brain Injury**. J Rehabil Res Dev. 2009;46(6):CP1-68. PMID: 20108447.

Adams DB, Wasserburger LB. **Psychological Factors Affecting Soft Tissue Injury: Psychodynamics, Psychopathology and Impact Upon Recovery**. *In Soft Tissue Injury: Diagnosis & Treatment*. (Eds) Windsor RE, Lox D. Hanley & Belfus, Philadelphia, PA, 1997.

Arciniegas DB, Anderson CA, Topkoff J, McAllister TW. **Mild Traumatic Brain Injury: A Neuropsychiatric Approach to diagnosis, evaluation and treatment**. Neuropsychiatr Dis Treat. (2005) 1:311-27.

Barsky AJ, Borus JF. **Somatization and medicalization in the era of managed care**. JAMA. 1995;274:1931-4.

Barsky AJ, Orav EJ, Bates DW. **Somatization increases medical utilization and costs independent of psychiatric and medical comorbidity**. *Arch Gen Psychiatry*. 2005;62:903-10.

Barth RJ. (2009) **Examinee-reported history is not a credible basis for clinical or administrative decision making**. Guides Newsletter. 2009 14(5):1-7.

Belanger HG, Curtiss G, Demery JA, Lebowitz BK, Vanderploeg RD. **Factors moderating neuropsychological outcomes following mild traumatic brain injury: a meta-analysis**. J Int Neuropsychol Soc. 2005 May;11(3):215-27. doi: 10.1017/S1355617705050277. PMID: 15892898.

Bernhardt DT, Young CC (Ed) **Concussion**. <http://www.emedicine.medscape.com/article/92095>

Binder, L. M., Iverson, G. L., & Brooks, B. L. (2009). **To err is human: "abnormal" neuropsychological scores and variability are common in healthy adults**. *Archives of Clinical Neuropsychology*, 24(1), 31–46. <https://doi.org/10.1093/arclin/acn001>

Carter-Allison SN, Potter S, Rimes K. **Diagnosis Threat and Injury Beliefs After Mild Traumatic Brain Injury.** Archives of Clinical Neuropsychology, Vol 31, Issue 7, 22 November 20126, pp 727-737. <https://doi.org/10.1093/arclin/acw062>

Cassidy JD, Cancelliere C, Carroll LJ, Côté P, Hincapié CA, Holm LW, et al. **Systematic review of self-reported prognosis in adults after mild traumatic brain injury: results of the international collaboration on mild traumatic brain injury prognosis.** Arch Phys Med Rehabil. (2014) 95(3 Suppl.):S132–51. 10.1016/j.apmr.2013.08.299

Center for Outcome Measurements in Brain Injury (COMBI): Traumatic Brain Injury Model Systems (COMBI). National Database (TBIMSND). www.msctc.org/tbi/model-system-centers

Cole WR, Bailie JM. **Neurocognitive and Psychiatric Symptoms following Mild Traumatic Brain Injury.** In *Translational Research in Traumatic Brain Injury*. Laskowitz D, Grant G, editors. Boca Raton (FL): CRC Press/Taylor and Francis Group; 2016.

de Waal MW, Arnold IA, Eekhof JA, van Hemert AM. **Somatoform disorders in general practice: prevalence, functional impairment and comorbidity with anxiety and depressive disorders.** *Br J Psychiatry*. 2004;184:470–6.

Dean, P. J. A., O'Neill, D., & Sterr, A. (2012). **Post-concussion syndrome: Prevalence after mild traumatic brain injury in comparison with a sample without head injury.** *Brain Injury*, 26(1), 14–26. <https://doi.org/10.3109/02699052.2011.635354>

Eisendrath SJ. **Psychiatric aspects of chronic pain.** *Neurology* 1995 Dec;45(12 Suppl 9):S26-34; discussion S35-6. doi: 10.1212/wnl.45.12_suppl_9.s26.

Ensalada L, Kertay L. **Illness Behavior.** *Guides Newsletter* (2018) 23 (4): 14–15. <https://doi.org/10.1001/amaguidesnewsletters.2018.JulAug04>.

Ferguson, R. J., Mittenberg, W., Barone, D. F., & Schneider, B. (1999). **Postconcussion syndrome following sports-related head injury: Expectation as etiology.** *Neuropsychology*, 13(4), 582–589. <https://doi.org/10.1037/0894-4105.13.4.582>

Frencham KA, Fox AM, Mayberry MT. **Neuropsychological Studies of Mild Traumatic Brain Injury: A Meta-Analytic Review of Research Since 1995.** *J Clin Exp Neuropsychol*. 2005 Apr;27(3):334-51.

Gouvier, W. D., Cubic, B., Jones, G., Brantley, P., & Cutlip, Q. (1992). **Postconcussion symptoms and daily stress in normal and head-injured college populations.** *Archives Of Clinical Neuropsychology*, 7(3), 193–211.

Greiffenstein, M. F., Baker, W. J., & Gola, T. (1994). **Validation of malingered amnesia measures with a large clinical sample.** *Psychological Assessment*, 6(3), 218–224. <https://doi.org/10.1037/1040-3590.6.3.218>

Gunstad J, Suhr JA. **Perception of illness: non-specificity of postconcussion syndrome symptom expectation.** *J Int Neuropsychol Soc.* 2002 Jan;8(1):37-47. PMID: 11843073.

The Guides Newsletter, American Medical Association. May/June 2007.

Iverson, G. (2006). **Misdiagnosis of the persistent postconcussion syndrome in patients with depression.** *Archives of Clinical Neuropsychology*, 21(4), 303–310. <https://doi.org/10.1016/j.acn.2005.12.008>

Iverson GL, Lange RT. **Examination of "postconcussion-like" symptoms in a healthy sample.** *Appl Neuropsychol.* 2003;10(3):137-44. doi: 10.1207/S15324826AN1003_02. PMID: 12890639.

Iverson, G. L., Lange, R. T., Brooks, B. L., & Rennison, V. L. A. (2010). **"Good old days" bias following mild traumatic brain injury.** *The Clinical Neuropsychologist*, 24(1), 17–37. <https://doi.org/10.1080/13854040903190797>

Iverson GL, Zasler ND, Lange RT. **Post-Concussion Disorder.** In *Brain Injury Medicine: Principles and Practice.* Zasler ND, Katz DI Zafonte RD (Ed) Demos. New York. 2007. Pp 373

Kashluba S, Paniak C, Casey JE. **Persistent Symptoms Associated with Factors Identified by the WHO Task Force on Mild Traumatic Brain Injury.** *The Clinical Neuropsychologist*, 22: 195-208. 2008. PMID: 17853135. DOI: [10.1080/13854040701263655](https://doi.org/10.1080/13854040701263655)

Lange, R. T., Iverson, G. L., & Rose, A. (2010). **Post-concussion symptom reporting and the "good-old-days" bias following mild traumatic brain injury.** *Archives of Clinical Neuropsychology*, 25, 442–450. <https://doi.org/10.1093/arclin/acq031>

Larrabee GL, Binder LM, Rohling ML, Ploetz DM. **Meta-analytic Methods and the Importance of non-TBI Factors Related to Outcome in Mild Traumatic Brain Injury: Response to Bigler Et Al. (2013).** *Clinical Neuropsychol.* 2013;27(2):215-37.

ADD MENON REFERENCE PLEASE

McCrea, MA (2008). **Mild Traumatic Brain Injury and Post-concussion Syndrome: The New Evidence Base for Diagnosis and Treatment.** American Academy of Clinical Neuropsychology. Oxford University Press. The natural History of TBI. P 83 -

Chapter 8: Acute Symptoms and Symptom Recovery, p 85 – 96.

Chapter 9: Acute Cognitive Effects and Early Recovery, p 97 - 108.

Chapter 10: Neuropsychologic Recovery, p 109 – 118.

Chapter 11: Influence of Acute Characteristics on Recovery, p 119-124.

Chapter 12: Measuring Neurophysiologic Recovery, p 125 – 132.

McCrea M. et al. **Acute effects and recovery time following concussion in collegiate football players: The NCAA Concussion Study.** JAMA. 2003;290(19):2556–2563.

Oyama O, Paltoo C, Greengold J. **Somatoform disorders.** Am Fam Physician. 2007 Nov 1;76(9):1333-8.

Polinder S, Cnossen MC, Real RGL, Covic A, Gorbunova A, Voormolen DC, Master CL, Haagsma JA, Diaz-Arrastia R, von Steinbuechel N. **A Multidimensional Approach to Post-concussion Symptoms in Mild Traumatic Brain Injury.** Front Neurol. 2018 Dec 19;9:1113.

Righter EL, Sansone RA. **Managing somatic preoccupation.** Am Fam Physician. 1999;59:3113-20.

Rogers R. **Clinical Assessment of Malingering and Deception.** 2nd ed. New York, NY: Guilford Press; 1997.

Rohling ML, Binder LM, Demakis GJ, Larrabee GJ, Ploetz DM, Langhinrichsen-Rohling J. **A Meta-Analysis of Neuropsychological Outcome After Mild Traumatic Brain Injury: Re-Analyses and Reconsiderations of Binder Et Al. (1997), Frencham Et Al. (2005), and Pertab Et Al.** Clin Neuropsychol. 2011 May;25(4):608-23.

Rohling, M., Larrabee, G., & Millis, S. (2012). **The “Miserable Minority” Following Mild Traumatic Brain Injury: Who Are They and do Meta-Analyses Hide Them?** The Clinical Neuropsychologist, online, 1-17.

Ryan LM, Warden DL (2003). **Post-concussion Syndrome.** International Review of Psychiatry 15 (4): 310–6.

Sawchyn JM, Brulot MM, Strauss E. **Note on the use of the Postconcussion Syndrome Checklist.** Arch Clin Neuropsychol. 2000 Jan;15(1):1-8. PMID: 14590562. Arch Clin Neuropsychol

Silver JM. **Effort, exaggeration and malingering after concussion.** J Neurol Neurosurg Psychiatry 2012; 83:836–841.

Sweet JJ, Heilbronner RL, Morgan JE, Larrabee GJ, Rohling ML, Boone KB, Kirkwood MW, Schroeder RW, Suhr JA & Conference Participants (2021). **American Academy of Clinical Neuropsychology (AACN) 2021 consensus statement on validity assessment: Update of the 2009 AACN consensus conference statement on neuropsychological assessment of effort, response bias, and malingering.** The Clinical Neuropsychologist, 2021, Vol 35, No 6, 1053-1106.

Tsanadis J, Montoya, E, Hanks RA, Millis SR, Fitchenberg NL, Axelrod BN. **Brain injury severity, litigation status, and self-report of postconcussive symptoms.** The Clinical Neuropsychologist. Volume 22, 2008 – Issue 6, pages 1080 – 1092.

Wang Y, Chan RCK, Deng Y. **Examination of postconcussion-like symptoms in healthy university students: Relationship to Subjective and objective neuropsychological performance.** Archives of Clinical Neuropsychology 21 (2006) 339-347.

Wong JL, Regennitter RP, Barrios F. **Base rate and simulated symptoms of mild head injury among normals.** Arch Clin Neuropsychol. 1994 Oct;9(5):411-25. PMID: 14589656.

OBESITY & Cognition & Headache / Migraine

Chai NC, Scher AI, Moghekar A, Bond DS, Peterlin BL. **Obesity and headache: part I --a systematic review of the epidemiology of obesity and headache.** Headache 2014; 54(2):219-234.

Kristoffersen, E.S., Børte, S., Hagen, K. *et al.* **Migraine, obesity and body fat distribution – a population-based study.** *J Headache Pain* 21, 97 (2020). <https://doi.org/10.1186/s10194-020-01163-w>

Luppino FS, de Wit LM, Bouvy PF, Stijnen T, Cuijpers P, Penninx BWJH, & Zitman FG. **Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies.** Archives of General Psychiatry. 2010;67(3):220–229.

OBSTRUCTIVE SLEEP APNEA (OSA) & Cognition & Headache:

Alberti A, Mazzotta G, Gallinella E, Sarchielli P. **Headache characteristics in obstructive sleep apnea syndrome and insomnia.** Acta Neurol Scand. 2005;111(5):309-316.

Aloia MS, Arnedt JT, Davis JD, Riggs RL, Byrd D. **Neuropsychological sequelae of obstructive sleep apnea-hypopnea syndrome: a critical review.** J Int Neuropsychol Soc. 2004 Sep;10(5):772-85. doi: 10.1017/S1355617704105134. PMID: 15327723.

Bucks RS, Olaithe M, Eastwood P. **Neurocognitive function in obstructive sleep apnoea: A meta-review.** Respirology, 18 (1), (2013)61–70.

Ferini-Strambi L, Lombardi GE, Marelli S, Galbiati A. **Neurological Deficits in Obstructive Sleep Apnea.** Curr Treat Options Neurol. 2017 Apr;19(4):16.

Kelly, D.A., Claypoole, K.H., Coppel, D.B. **Sleep apnea syndrome: Symptomatology, associated features, and neurocognitive correlates.** Neuropsychol Rev. 1999;04:323-342.

Kristoffersen, E.S., Børte, S., Hagen, K. *et al.* **Migraine, obesity and body fat distribution – a population-based study.** *J Headache Pain* **21**, 97 (2020). <https://doi.org/10.1186/s10194-020-01163-w>

Lal C, Strange C, Bachman D. **Neurocognitive impairment in obstructive sleep apnea.** *Chest.* 2012;141(6):1601-10.

Stranks, EK, Crowe SF. **The Cognitive Effects of Obstructive Sleep Apnea: An updated Meta-Analysis..** *Archives of Clinical Neuropsychology* 31 (2016) 186-193.

Vaessen TJA, Overeem S, Sitskoorn MM. **Cognitive complaints in obstructive sleep apnea.** *Sleep Med Rev.* 2015;19:51-8.

MIGRAINE & Cognition:

Gu L, Wang Y, Shu H. **Association Between Migraine and Cognitive Impairment.** *J Headache Pain*, 23,88 (2022). <https://doi.org/10.1186/s10194-022-01462-4>

Kristoffersen, E.S., Børte, S., Hagen, K. *et al.* **Migraine, obesity and body fat distribution – a population-based study.** *J Headache Pain* **21**, 97 (2020). <https://doi.org/10.1186/s10194-020-01163-w>

HYPERTENSION & Cognition:

Alateeq K, Walsh EI, Cherbuin N. **Higher Blood Pressure is Associated with Greater White Matter Lesions and Brain Atrophy: A Systematic Review with Meta-Analysis.** *J Clin Med.* 2021 Feb 7;10(4):637. doi: 10.3390/jcm10040637. PMID: 33562359; PMCID: PMC7915964.

Hu HY, Ou YN, Shen XN, Qu Y, Ma YH, Wang ZT, Dong Q, Tan L, Yu JT. **White matter hyperintensities and risks of cognitive impairment and dementia: A systematic review and meta-analysis of 36 prospective studies.** *Neurosci Biobehav Rev.* 2021 Jan;120:16-27. doi: 10.1016/j.neubiorev.2020.11.007. Epub 2020 Nov 11. PMID: 33188821

Iadecola C, Yaffe K, Biller J, Bratzke LC, Faraci FM, Gorelick PB, Gulati M, Kamel H, Knopman DS, Launer LJ, Sacczynski JS, Seshadri S, Zeki Al Hazzouri A; **American Heart Association Council on Hypertension; Council on Clinical Cardiology; Council on Cardiovascular Disease in the Young; Council on Cardiovascular and Stroke Nursing; Council on Quality of Care and Outcomes Research; and Stroke Council.** *Impact of Hypertension on Cognitive Function: A Scientific Statement From the American Heart Association.* *Hypertension.* 2016 Dec;68(6):e67-e94. doi: 10.1161/HYP.0000000000000053. Epub 2016 Oct 10. PMID: 27977393; PMCID: PMC5361411.

Qiu C, Winblad B, Fratiglioni L. **The age-dependent relation of blood pressure to cognitive function and dementia.** *Lancet Neurol* 2005; 4: 487–99.

Walker KA, Power MC, Gottesman RF. **Defining the Relationship Between Hypertension, Cognitive Decline, and Dementia: a Review.** *Curr Hypertens Rep.* 2017 Mar;19(3):24. doi: 10.1007/s11906-017-0724-3. PMID: 28299725; PMCID: PMC6164165.

DIABETES & Cognition

Cosway R, Strachan MW, Dougall A, Frier BM, Deary IJ. **Cognitive function and information processing in type 2 diabetes.** *Diabet Med.* 2001;18(10):803-810.

Zilliox LA, Chadrasekaran K, Kwan JY, Russell JW. **Diabetes and Cognitive Impairment.** *Curr Diab Rep.* 2016 Sep;16(9):87. doi: 10.1007/s11892-016-0775-x. PMID: 27491830; PMCID: PMC5528145.

DRUG / ALCOHOL & Cognition:

Chang L, Alicata D, Ernst T, Volkow N. **Structural and metabolic brain changes in the striatum associated with methamphetamine abuse.** *Addiction.* 2007 Apr;102 Suppl 1:16-32. Review. PubMed PMID: 17493050.

Devere R. **The Cognitive Consequences Of Alcohol Use.** October 2016 *Practical Neurology* 6.

MANY references related to substance abuse available in the EBM.

GENERAL MEDICAL / MISCELLANEOUS:

Adinolfi LE, Nevola R, Lus G, Restivo L, Guerrera B, Romano C, Zampino R, Rinaldi L, Sellitto A, Giordano M, Marrone A. **Chronic hepatitis C virus infection and neurological and psychiatric disorders: an overview.** *World J Gastroenterol.* 2015 Feb 28;21(8):2269-80. doi: 10.3748/wjg.v21.i8.2269. PMID: 25741133; PMCID: PMC4342902.

Eisenberg Y. [National Association of Rare Disorders - Empty Sella Syndrome](#)

Kim KW, MacFall JR, Payne ME. **Classification of white matter lesions on magnetic resonance imaging in the elderly.** *Biol Psychiatry.* 2008 Aug 15; 64(4): 273–280.

Marshall CM, Vernon H, Leddy JJ, Baldwin BA. **The role of the cervical spine in post-concussion syndrome.** *Phys Sportsmed* (2015) 43:274–84. 10.1080/00913847.2015.1064301

Valderas JM, Starfield B, Sibbald B, Salisbury C, Roland M. **Defining comorbidity: implications for understanding health and health services.** *Ann Fam Med.* 2009 Jul-Aug;7(4):357-63. doi: 10.1370/afm.983. PMID: 19597174; PMCID: PMC2713155.

Weerakkody, Y., Rensburg, J. **Cerebral small vessel disease.** Reference article, Radiopaedia.org. <https://doi.org/10.53347/rID-1620>