# **TDI** Texas Department of Insurance

PO Box 12030 | Austin, TX 78711 | 800-578-4677 | tdi.texas.gov

# **Product Evaluation**

#### WIN2402 | 0721

#### Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-2402

Effective Date:July 1, 2021Re-evaluation Date:February 2024

Product Name: Barcelona Model DH30I & DH30PI Vinyl Double Hung Windows, Frame Installation, Impact Resistant

Manufacturer: Soft-Lite Windows 10250 Phillip Parkway Streetsboro, OH 44241 (330) 528-3400

#### **General Description:**

System	Description	Label Rating	Design Pressure Rating
1	Barcelona Vinyl Double Hung	R-PG55 (54 x 77)-H	+55 / -65 psf
I	Windows, DH30PI; X/X	Missile Level D	+557-65 psi
2	Barcelona Vinyl Double Hung	R-PG55 (54 x 77)-H	+55 / - 65 psf
	Windows, DH30I; X/X	Missile Level D	+557 - 05 hsi
3	Barcelona Vinyl Double Hung	R-PG50 (54 x 77)-H	FO / CE pef
	Windows, DH30I; X/X	Missile Level C	+50 / -65 psf

#### **Product Dimensions:**

System	Overall Size	Top Sash Size	Bottom Sash Size
1-3	54" x 76-1/2"	49-5/16" x 36-3/4"	50-5/16" x 37-3/4"

<b>Product Identification</b>	(Certification	Label on	Window):

System			
	Certification Agency	NAMI	
	Manufacturer's Name or Code Name	Soft-Lite Windows	
1	Product Name	Barcelona Vinyl Double Hung Window (DH30PI)	
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05/E1996-09, Missile Level D	
	Certification Agency	NAMI	
	Manufacturer's Name or Code Name	Soft-Lite Windows	
2	Product Name	Barcelona Vinyl Double Hung Window (DH30l)	
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05/E1996-09, Missile Level D	
	Certification Agency	NAMI	
	Manufacturer's Name or Code Name	Soft-Lite Windows	
3	Product Name	Barcelona Vinyl Double Hung Window (DH30l)	
	Test Standards	AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05/E1996-09, Missile Level C	

### Impact Resistance:

System	Impact Resistant	Requirement
1-2	Yes	These products satisfy TDI's criteria for protection from windborne debris. Install the assemblies at a height on the structure that does not exceed the design pressure rating for the assemblies.
3	Yes	These products satisfy TDI's criteria for protection from windborne debris. The products may be used for Basic Protection in areas where the basic ultimate wind speed is less than 150 mph at a distance greater than 1 mile from the coastline. Install the assemblies at a height on the structure that does not exceed the design pressure rating for the assemblies.

## Installation:

System		
1-3	Type of Installation Wall Framing	Install in accordance with drawing No. TX-4861,
		dated June 28, 2018. Revision 1 dated May 4,
	Fasteners	2021. Signed and sealed by Lyndon F. Schmidt,
	Fastener Location/Spacing	P.E. on May 17, 2021.
	Fastener Penetration	T.L. OTT Way 17, 2021.

**Note:** Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.