

PO Box 149104 | Austin, TX 78714 | 1-800-578-4677 | tdi.texas.gov

Product Evaluation

WIN2562 | 0221

Engineering Services Program

The following product has been evaluated for compliance with the wind loads specified in the International Residential Code (IRC) and the International Building Code (IBC).

This product evaluation is not an endorsement of this product or a recommendation that this product be used. The Texas Department of Insurance has not authorized the use of any information contained in the product evaluation for advertising, or other commercial or promotional purpose.

This product evaluation is intended for use by those individuals who are following the design wind load criteria in Chapter 3 of the IRC and Section 1609 of the IBC. The design loads determined for the building or structure shall not exceed the design load rating specified for the products shown in the limitations section of this product evaluation. This product evaluation does not relieve a Texas licensed engineer of his responsibilities as outlined in the Texas Insurance Code, the Texas Administrative Code, and the Texas Engineering Practice Act.

For more information, contact TDI Engineering Services Program at (800) 248-6032.

Evaluation ID: WIN-2562 **Effective Date:** February 1, 2021

Re-evaluation Date: June 2023

Product Name: Inspira Vinyl Double Hung Windows, Fin and Frame Installation, Non-Impact

Resistant

Manufacturer: Northeast Building Products

4280 Aramingo

Philadelphia, PA 19124

(215) 535-7110

General Description:

System	Description	Label Rating	Design Pressure Rating	
1	Inspira New Construction Vinyl	Class LC-PG35 44 x 75	±35 psf	
	Double Hung Windows	Туре Н		
2	Inspira Replacement Vinyl	Class LC-PG35 44 x 75	±35 psf	
	Double Hung Windows	Туре Н		
3	Inspira New Construction Vinyl	Class LC-PG55 40 x 63	±55 psf	
	Double Hung Windows	Туре Н	T 22 h21	

General Description (Continued):

System	Description	Label Rating	Design Pressure Rating
4	Inspira Replacement Vinyl Double Hung Windows	Class LC-PG50 40 x 63 Type H	±50 psf

Product Dimensions:

System	Overall Size	Top Sash Size	Bottom Sash Size
1, 2	44" x 75"	39-3/4" x 36-1/4"	40-3/4" x 37-3/4"
3, 4	40" x 63"	30-5/8" x 40-1/4"	36-3/4" x 31-3/4"

Product Identification (Certification Label on Window):

System	1	•	
	Certification Agency	Keystone	
	Manufacturer's Name or Code Name	86-443	
1	Product Name	Crusader Elite DH / Inspira DH-(New Construction)	
	Test Standards	AAMA/WDMA/CSA 101/IS2/A440-11	
	Certification Agency	Keystone	
2	Manufacturer's Name or Code Name	86-444	
	Product Name	Crusader Elite DH / Inspira DH- (Replacement)	
	Test Standards	AAMA/WDMA/CSA 101/IS2/A440-11	
	Certification Agency	Keystone	
	Manufacturer's Name or Code Name	86-445	
3	Product Name	Crusader Elite DH / Inspira DH-(New Construction)	
	Test Standards	AAMA/WDMA/CSA 101/IS2/A440-11	
	Certification Agency	Keystone	
4	Manufacturer's Name or Code Name	86-446	
	Product Name	Crusader Elite DH / Inspira DH-	
		(Replacement)	
	Test Standards	AAMA/WDMA/CSA 101/IS2/A440-11	

Impact Resistance:

System	Impact Resistant	Requirement
1-4	No	Provide an impact protective system when installing the product in areas that require windborne debris.

Installation:

System		
	Type of Installation	Install the windows in accordance with Drawing
	Wall Framing	TDI-INSPIRA-DH-NI; sheets 1 through 3 of 3;
1-4	Fasteners	dated February 7, 2020; Revision 0; Signed,
	Fastener Location/Spacing	sealed, and dated November 12, 2020 by Lucas
	Fastener Penetration	A. Turner, P.E.

Note: Keep the manufacturer's installation instructions available on the job site during installation. Use corrosion resistant fasteners as specified in the IRC and the IBC.